Micro cantilever

Product name

OMCL-AC160FS-B2

Silicon cantilever with tetrahedral tip

Product name

Micro Cantilever

OMCL-AC160FS-B2
LotNo.

Typical Value	Inspection result	
Resonant frequency 300 (kHz)		Quality inspected
Spring constant 42 (N/m)	(Calculated Value)	Made in Japan

http://www.olympus.co.jp/probe/
OLYMPUS

Inspection result

OMCL - AC 160 F S – B 2

OMCL : Olympus Micro Cantilever
AC : main application is AC mode measurement
160 : Lever length of 160 µm
F : Carbon nano fiber tip
S : Aluminum reflex coating (Single side)
B : 18 chips / unit
2 : Chip thickness 0.3 mm

Chip

There is a rectangular cantilever on one side of the silicon chip.

Dimensions

tip side view

side view

3.4 mm
1.6 mm
2.0 mm (max.)
3.0 mm
0.3 mm

Material

Tip and Lever	Silicon (4 - 6 ohm.cm)
Metal coating (tip side)	Carbon on Silicon cantilever
Metal coating (reflex side)	Aluminum on Silicon cantilever
Chip	Silicon (4 - 6 ohm.cm)

Probe

The actual probe is a small fibril of Carbon nano fiber. The probe is fabricated on a tetrahedral probe basement which locates on the exact end of each cantilever.

Front   Side   Side (probe apex)   Front (probe apex)

Dimensions

	Typical value	Typical range	
Probe length of Carbon fiber (µm)	–	more than 0.2	
Tip radius of Carbon fiber (nm)	10	8 - 15	
Probe thickness (200 nm)* (nm)	50	40 - 60	* Diameter of the CNF probe at 200 nm down from the apex
Probe tilt angle (tilt compensation) (deg.)	(toward lever end) +12 (+6 - +18) (side) 0 (-6 - +6)		

	Typical value	Typical range	
Probe support length** (µm)	14	7 - 19	** The support portion of the CNF probe shaped in tetrahedral
Probe support tip half angle (nm)	(along lever axis) less than 17.5 (side) less than 17.5		

Cantilever
Dimensions

Cantilever length L (µm)	160 (±20)
Cantilever width W (µm)	50 (±2)
Cantilever thickness t (µm)	4.6 (±0.8)
Thickness of Metal coat on Reflex side tm (µm)	Aluminum 0.1 (±0.04)

W

L

Calculated mechanical properties

	Typical value	Typical range
Resonant frequency (kHz)	300	200 - 400
Spring constant (N/m)	42	12 - 103

OLYMPUS

OMCL-AC160FS-B2

Ver. 2.0   July 6, 2009